

भा.कृ.अनु.प.-राष्ट्रीय मत्स्य आनुवंशिक संसाधन ब्यूरो ICAR-NATIONAL BUREAU OF FISH GENETIC RESOURCES



Bid Document Structure

1. The Bid Document Contains:

- 1. Bid Guidelines (i-Tender Notice, ii-Detailed Guidelines)
- 2. Annexure-A (part 1, 2, 3, 4 & 5) / B to be completed by bidders

2. <u>Schedule</u>

Tender No.	F.No. 4-(222)/2020-2021
Date and Time for Issue/Publishing	17.30 PM on 17/02/2021
Document Download/Sale Start Date and	18:00 PM on 17/02/2021
Time	
Bid Submission Start Date and Time	18:00 PM on 17/02/2021
Bid Submission End Date and Time	12:00 PM on 24/02/2021
Date and Time for Opening of Bids	12:00 PM on 25/02/2021
Address for Communication	In-Charge (Administration)
	ICAR- National Bureau of Fish Genetic
	Resources, Canal Ring Road, Telibagh, P. O.
	Dilkusha, Lucknow-226002

The tenderer representatives should adhere to the respective schedule

3. <u>Major Documents & Compliance check list:</u>

Sl. No.	Check List	Yes/No
1.	Tenderer's covering letter on a printed letter head	
2.	Up to Date Income tax return (last 3 years).	
3.	Registration certificate (CPWD/PWD/MES/BSNL/ or Any other Govt,	
	department eligible to register civil contractors).	
4.	Experience certificate- Three similar works each of value not less than 40% of estimated cost or two similar works each of value not less than 50% of estimated cost or one similar work of value not less than 80% of estimated cost in last 7 years ending last day of the month previous to the one in which the tenders are invited.	
5.	Office organization of company giving information regarding office set up, Telephone, Fax, E-mail, Computer, etc.	
6.	No page shall be removed from or added to the complete set of tender document issued for the work.	
7.	Signature with seal on all the pages	
8.	Annexure A(1,2,34 &5)	

Note: Empanelled firm's with <u>NBFGR</u> are not required to submit proof of registration, PAN, ITR's, GST No. and experience certificates with their tender document.



भा.कृ.अनु.प.-राष्ट्रीय मत्स्य आनुवंशिक संसाधन ब्यूरो ICAR-NATIONAL BUREAU OF FISH GENETIC RESOURCES



Dated: 17.02.2020

No. 4-222/2020-2021/ (Works)

NOTICE INVITING TENDERS

Item rate tenders, in 2 bid format, are invited by the Director, NBFGR, Lucknow from approved and eligible Contractors of appropriate class enlisted with CPWD/MES/PWD/Public Works Organizations and other similar agencies authorized by the govt. as per details given below:

Details of work

Sl. No.	Name of work	Estimated cost (in Rupees)	Cost of Bid Documents (In Rs.)		Annexure
1.	The repairing and renovation canteen kitchen at NBFGR. campus	11,40,000/-	Nil	BID SECURING DECLARATION FORM attach	В

Terms & Conditions and Instruction

- 1. Tender documents can be downloaded from e-procurement website of CPPP http://eprocurement.gov.in/eprocurement/app website from 17.02.2021 at 6.00 p.m. to 24.02.2021 upto 12.00 hrs. The tender fees mentioned against the item can be submitted in form of demand draft drawn in favour of "ICAR Unit NBFGR", payable at Lucknow along with tender application.
- 2. Technical compliance statement (Annexure A-1, A-2, A-3 A-4 & A-5) attached with necessary documents and Financial statement as per work item given in Annexure B need to be submitted in separate.
- 3. Tender will be opened on **25.02.2021 at 12.00** hrs in the Committee hall, Administration Block, NBFGR, Lucknow in the presence of Bidders or their authorized representatives.
- 4. Tender received late or incomplete or not submitted in accordance with the format will not be considered and will be rejected.
- 5. Tenderer will have to deposit EMD as mentioned for each item in the shape of Demand Draft drawn in favour of "<u>ICAR Unit NBFGR</u>" payable at par at Lucknow along with their bid.
- 6. Tender for each of the work item as mentioned above has to be submitted separately.
- 7. Annexure A (Part-1, 2, 3 4 & 5) is mandatory for all the firms applying for any of the work item, whereas Annexure B is required to be filled by firms.
- 8. Submitting bid for more than one work in a single envelope will be disqualified and the tender will not be processed further.
- 9. All rates should be quoted both in words & figures inclusive of all taxes and there should not be any over writing or use of fluid for correction. Any cutting or use of fluid will lead to disqualification of the tender. Consolidated rates, will not be considered for evaluation and in Tender (without item wise rate) the bid will be rejected.
- 10. The estimated cost of each item is merely given as a rough guide.

- 11. All the relevant documents satisfying the eligibility criterion need to be attached with the tender document.
- 12. All the documents and pages of tender form should be signed by authorized signatory of the tendering firm under seal of the company.
- 13. The Director, NBFGR, Lucknow reserves the right to reject any or all the tenders at his discretion without assigning any reason thereof.
- 14. Any correction in the tender document due to cutting or over writing should be duly verified by the contractor.

In-Charge (Administration)



भा.कृ.अनु.प.-राष्ट्रीय मत्स्य आनुवंशिक संसाधन ब्यूरो ICAR-NATIONAL BUREAU OF FISH GENETIC RESOURCES



No. 4	-222/20	020-2	2021/ (W	orks	.)					Date	d: 17	.02.202	<u>:</u> 1
To:													
Sub:	Tend	ler fo	or				(Name of W	ork)				•	
Dear S	Sir,												
	You	are	invited	to	quote	your	lowest	rates	for	undertaking	the	work	of
at NR	FGR N	Main (Campus	A11	the rele	vant de	(Name of W	,	belov	W.			_

1. <u>DELIVERY OF TENDER:</u> THROUGH E-PROCUREMENT

Online Bids are invited from the interested firms under two bid systems for "The repairing and renovation of canteen kitchen" at ICAR-National Bureau of Fish Genetic Resources, Canal Ring Road, Telibagh, P.O. Dilkusha, Lucknow-226002. Manual bids shall not be entertained.

Tender documents may be downloaded from e-procurement website of CPP **http://eprocurement.gov.in/eprocurement/app** as per the schedule as given in Notice Inviting Tender.

2. Two Bid system is applicable. Financial bids as per BOQ and Technical bid (Annexure- A (Part-1, 2, 3, 4 & 5) should be submitted separately.

3. PERFORMANCE SECURITY

- (i) The contractor whose tender is accepted will be required to furnish performance guarantee of 3% of the tendered amount before commencement of work or 15 days of issue of work order, whichever is earlier. The guarantee shall be in the form of demand draft from nationalized banks only, drawn in favour of "ICAR Unit NBFGR" payable at par at Lucknow.
- (ii) The security will be forfeited in case of default in fulfilling any of the conditions of the tender at the discretion of Director, NBFGR, Lucknow.
- (iii) The security money will be refunded after six (6) months of completion of the contract without any interest.

4. PAYING AUTHORITY

The Director ICAR-NBFGR, Canal Ring Road, P.O. Dilkusha Lucknow – 226002

5. PENALTY CLAUSE

- **a)** In case of delay in completion of the work, penalty will be levied at the rate of 0.5% of work value per week subject to maximum 10% of contract value after which the contract will be cancelled.
- **b)** Any leftover material etc after completion of the work has to be removed by the contractor. Any such material found not removed within a reasonable time tantamount to penalty @ Rs. 100/- per day from the contractor.
- c) Efficiency is the essence of this contract. The contractor undertakes to provide the services set out above efficiently and maintain the standard of workmanship required from him under the contract. In case of failure to provide such services the contractor shall pay/ authorizes the Director NBFGR to deduct the sum equivalent to the actual expenditure which should have incurred on job not-done or not properly done plus 10% as liquidated damages, from any payment due to the contractor.

6. DISPUTE RESOLUTION MECHANISM

If any dispute or difference arises between the purchaser and the supplier relating to any matter connected with the contract, both the parties shall make every effort to resolve the same amicably by mutual discussions. However, if the parties fail to resolve the dispute or difference by such mutual discussions within 30 days, either the tenderer or the Principal may give notice to the other party of its intentions to refer the same to arbitration. The arbitration shall commence thereafter. The arbitration shall be conducted by the sole arbitrator, who will be appointed by the Secretary, ICAR and the procedure to be followed in this respect will be as per the Indian Arbitration and Conciliation Act, 1966. The venue of arbitration shall be the place from where the contract is issued.

7. <u>MISLEADING INFORMATION</u>

If the tenderer/tenderers deliberately gives/give any wrong information or suppresses/ any material facts or makes/make false representations in this tender or creates/create circumstances for the acceptance of his/their tender, NBFGR reserves the right to reject such tender at any stage or cancel the order even after acceptance of the tender at the risk and cost of the tenderer/tenderers.

8. AWARD OF WORK

NBFGR will notify the successful tenderer in writing by a registered letter/Fax/Publish on website, that his tender has been accepted.

9. SIGNING OF CONTRACT

The successful tenderer has to sign the agreement on non-judicial stamp paper of value Rs. 100/- within 15 days from the receipt of offer of contract. The tenderer has to arrange the stamp paper on his own cost.

10. <u>COMPLETION OF JOB</u>

i) The jobs shall be completed positively within 25 days from 3 days after the date of the issue of work execution letter.

ii) If the successful tenderer fails to complete the job without any reason within the stipulated time period as prescribed by NBFGR against each job, penalty shall be charged as per rules mentioned in the "Conditions of contract".

11. OTHER INFORMATION

- i) Non-compliance with any of the conditions set forth here above is liable to result in the tender being rejected.
- ii) The tender documents are not transferable.

12. OTHER PROVISIONS

- i) Tenders will be issued to eligible contractors provided they produce definite proof from the appropriate authority, which shall be to the satisfaction of the Competent Authority, of having satisfactorily completed similar works as per given details:
 - a) Three similar works each of value not less than 40% of estimated cost or two similar work each of value not less than 50% of estimated cost or one similar work of value not less than 80% of estimated cost in last 7 years ending last day of the month previous to the one in which the tenders are invited.
- ii) All rates quoted should be net in inclusive all taxes/duties etc and written both in figures and words.
- iii) Tederer shall also work out the amount for each item of work and write in both figures and words.
- iv) Before quoting the tenderers are requested to inspect the site to fully acquaint himself about the conditions with regard to accessibility of site, nature and extent of ground, working condition of site and locality including stocking of materials, installations of tools and plants (T&P) etc, conditions affecting accommodations and movement of labourer etc. required for the satisfactory execution of the work contracted. No claim whatsoever on such account shall be entertained by the Director NBFGR in any circumstances.
- v) Quotation submitted should strictly comply with the following requirement:-
 - (a) Quotation should be signed in ink and duly stamped.
 - (b) If the quotation is submitted on behalf of the firm of partners of a limited concern it must be signed either by all partners or some person holding a valid power of attorney from the partners constituting the firm. The person signing the quotation on behalf of partner or on behalf of firm, shall attach with the quotation power of attorney or partnership deed or memorandum of article as the case may be and bound such other person or the firm as the case may be in all matters pertaining to the contract including the arbitration clause. Even in case of firm which have already granted power of attorney to an individual authorizing him to sign Tender/Quotation and contract documents on behalf of the firm and in pursuance which Tender/Quotations are being signed by such power as a routine a fresh power of attorney duly executed in his favour by all the partners of the firm stating specifically that person have authority of binding such partners as the case may be, including condition relating to arbitration clause should be submitted with the Tender/Quotation, unless such authority already been given to the person(s) concerned by the firm.
 - (c) The registration details of the firm as under may also be furnished failing the quotation is liable to be cancelled:-

- vi) Attention is also invited that conditional Tender/Quotations are liable to be rejected. As such attachment of own conditions is not congenial in case of competitive Tender/Quotations. It is therefore informed that your quote/Tender/Quotation should be based solely on the conditions of the contract and other parts of the documents issued by Director, NBFGR. Any quotation/Tender/Quotation which does not fulfill these essential requirements shall be considered "NON BONAFIDE" and will not be considered for acceptance.
- vii) The Director, NBFGR does not bind itself to accept the lowest or any other tender and reserves to itself the authority to reject any or all the tenders received without assigning any reason. All tenders in which any of the prescribed condition is not fulfilled or any condition including that of conditional rebate is put forth by the tenderer shall be summarily rejected.
- viii) Canvassing whether directly or indirectly, in connection with tenders is strictly prohibited and the tenders submitted by the contractors who resort to canvassing will be liable to rejection.
 - ix) Non-compliance with any of the conditions set forth here above is liable to result in the tender being rejected.

In-Charge (Administration)

ICAR-National Bureau of Fish Genetic Resources

Canal Ring Road, Telibagh, P.O., Dilkusha Lucknow 226002

Annexure A (Part-1)

(To be returned duly accepted and signed)

GENERAL CONDITIONS OF CONTRACT

CLAUSE 1: EXECUTION OF CONTRACT DOCUMENT

- 1.1 The tenderer whose tender is accepted shall be required to execute the contract documents within 15 days from the date of issue of work order.
- 1.2 Every contract shall be completed in respect of the documents it shall constitute in the form of an agreement deed. Not less than 3 copies of agreement deeds shall be signed by the Competent Authority and the contractor and one copy given to the contractor. The agreement will be drawn on stamped paper of value Rs. 100/- (above tender valve than 1 lakh). The contractor has to submit the stamp paper at his cost.
- 1.3 The tenderer shall quote his rates complying with the instructions contained in the tender documents and must tender for all items in the tender schedule by quoting his/her rate for the same. The items shown in the tender schedule are given as a guide and are approximate only and are subject to variation according to the needs of NBFGR. The NBFGR does not also guarantee work under each item of the schedule. No correspondence shall be entertained in this regard.
- 1.4 The tenderer shall keep the offer open for a minimum period of **90 days** from the date of opening of tender or the period extended further by mutual consent from time to time.
- 1.5 Works are required to be completed strictly within the time frame and date stipulated in the tender document.
- 1.6 The tenderer shall not take the advantage of any misinterpretation of the conditions due to typing or any other error/errors and if any doubt, shall bring such error/errors to the notice of NBFGR without delay.

CLAUSE 2: COMMENCEMENT OF WORK

2.1 The contractor shall commence the works on site within a period of **3 days** from the date of issue of letter of work award. Thereafter the contractor shall proceed with the works with due expedition to complete the works within the stipulated time period.

CLAUSE 3: TENDERED RATES

- 3.1 The tendered rates shall be inclusive of all taxes and cess, and also inclusive of tax livable in respect of work contract under provision of Govt. of Uttar Pradesh Sales tax act.
- 3.2 The rates quoted by the contractor must be inclusive of sales tax. No extra payment on this account will be made to contractor. The quoted rates must be valid for minimum **90** days from the date of opening of tender.
- 3.1 The contractor must visit the site and study the working conditions, site conditions and the quantum of work involved before quoting the rates for lump sum items. No claim of the contractor shall be entertained in under estimation of Lump sum items.

CLAUSE 4: LABOUR ACT

- 4.1 No contractor shall employ any person who is under the age of 18 years. Works-in-Charge is authorized to remove from work any person who is below 18 years.
- 4.2 The contractor shall pay fair and reasonable wages to the workmen employed by him. In the event any dispute arising between the contractor and his workmen on the ground that the wages paid are not fair and reasonable, the dispute shall be referred without any delay to the Director NBFGR, Lucknow. The decision of the Director NBFGR shall be conclusive and binding on the contractor.
- 4.3 All facilities provided in the contract labour act should be provided (Regulation and Abolition Act 1971).
- 4.4 The contractor shall pay fair and reasonable wages as per the minimum wages act (Govt. of India/Govt. of Uttar Pradesh) prevailing in the locality.
- 4.5 The contractor shall duly comply all provisions of contract labour act (Regulation and Abolition) 1979 as applicable in state of Uttar Pradesh, and amended from time to time and all other relevant status and statutory provision concerning payment of wages particular to the workmen employed on the site.

CLAUSE 5: SAFETY OF THE WORKERS

- 5.1 The contractor shall be responsible for and shall pay any compensation to his workmen under the Workmen's compensation act 1923 (VIII of 1923) (hereafter call the said act) for injuries caused to the workmen.
- 5.2 The contractor shall be responsible for and shall pay the expenses or providing any medical aid to any workman who may suffer bodily injury as a result of an accident.
- 5.3 The contractor shall provide all necessary personal safety equipment and first aid apparatus available for the use of workers employed on the site and shall maintain the same in condition suitable for immediate use at any time and shall comply with following regulations in connection therewith.
 - (a) The workers shall be required to use the equipment so provided by the contractor and the contractor shall take adequate steps to ensure proper use of the equipment by those concerned.
 - (b) When work is carried on in proximity to any place where there is risk or drawing all necessary equipment shall be provided and kept ready for use and all necessary steps shall be taken for prompt rescue of any person in danger.
 - (c) Adequate provisions shall be made for first aid treatment of all injuries likely to be sustained during the course of work.

CLAUSE 6: MODE OF PAYMENT

- 6.2 The running payment will be made 50% upto completion of slab label and balance 50% after completion of entire job.
- 6.3 On completion of the work, the contractor shall furnish a report to this effect to the designated officer of the bureau, OIC (works) in this case, who will certify for satisfactory completion of the work. But no such certificate shall be given nor shall the works be considered to be completed until the contractor shall remove all the rubbish, surplus material, all scaffolding etc. from the premises. The running bill forwarded by the contractor shall be considered for payment only after obtaining the certificate as described above.
- 6.4 The contractor needs to provide details of his Bank account along with Bank Name, Branch details, IFSC code etc for making payment by the bureau.

CLAUSE 7: TECHNICAL SPECIFICATIONS

- 6.1 The contractor shall execute the whole and every part of the work in the most substantial and workman like manner, and both as regards material and every other respect in strict accordance with specifications as mentioned in the tender document against each job.
- 7.2 Every effort has been made to give detailed specifications for each and every item in the schedule; however, wherever specifications mentioned by NBFGR are not sufficient, the works should be carried out as per CPWD technical specification and works manual with latest correction slip.
- 7.3 In general, all the works should be carried out conforming to ISI test standards and specifications. All the materials used in construction shall confirm to the requirement of latest IS specifications.
- 7.4 The Director shall have power to make any alterations in or additions to the original specifications, drawings, designs, and instructions that may appear to him to be necessary or advisable during the progress of the work and the contractor shall be bound to carry out the work in accordance with any instructions in this connection which may be given to him in writing signed by the authorized Official from NBFGR and such alteration shall not invalidate the contract. Payment of such additional works which are not included in the quantities and rates of original tender schedule shall be made on the basis of CPWD DSR rates and procedures. Where, however, the work is to be executed according to the designs, drawing and Specifications recommended by the contractor and accepted by the Competent Authority of NBFGR, the alterations above referred to shall be within the scope of such designs, drawings and specifications appended to the tender.
- 7.5 The successful tenderer should make own arrangement to obtain all materials required for the work like cement, sand, water, electricity, painting material approved by The Director NBFGR, etc.
- 7.6 In all cement involved works 53 grade cement (Ambuja/Birla/L&T etc.) to be used.

CLAUSE 8: UNSATISFACTORY AND DEFECTIVE WORKS

- 7.1 Defective work is liable to be rejected at any stage. The contractor on no account can refuse to rectify the defects. No extra payment shall be made for rectification.
- 8.2 If the progress of any particular portion of the work is unsatisfactory, the Director NBFGR shall notwithstanding that the general progress of the work, be entitled to take action after giving the contractor 10 days notice in writing. The contractor will have no claim for compensation, for any loss sustained by him owing to such action.

CLAUSE 9: INCOMETAX & WORK CONTRACT TAX DEDUCTION

8.1 TDS (Tax Deducted at Source) will be deducted as per the prevailing rules and regulations of Income Tax Department.

CLAUSE 10: DEDUCTION FOR ELECTRICITY AND WATER CHARGES

9.1 If water and electricity is required to be used from the NBFGR campus, then the contractor has to ask for the same in writing, for which the charges as per the relevant CPWD rules and regulations shall be deducted from the bill of the contractor (i.e. 1% for water in all water-cement items, and 1% for the items. Wherever. Electricity is consumed/utilized).

CLAUSE 11: DAMAGES TO GOVT. PROPERTY

- 10.1 Compensation for all damages done intentionally or unintentionally by contractor's labour whether within or beyond the limits of Govt., property including any damage caused by spreading of fire, shall be estimated by the Works-in-Charge subject to the decision of the Director, NBFGR, shall be final and the contractor shall bound to pay the amount of the assessed compensation on demand, failing which, the same will be recovered from the bill of the contractor.
- The contractor shall be responsible for making good the damages done to the existing property or work during construction by his men.

CLAUSE 12: SUPERVISION AND INSPECTION OF WORKS AND QUALITY CONTROL

(a) **SUPERVISION**

The contractor shall either himself supervise the execution of the works or shall appoint the competent technician, to act on his behalf. If in the opinion of the Works-in-Charge, the contractor himself has not sufficient knowledge and experience of receiving instructions or cannot give his full attention to the works, the contractor shall at his own expenses, employ his accredited agent or a qualified technician. If the contractor fails to appoint a suitable agent, the Director NBFGR reserves the right to suspend the works until a suitable agent is appointed and the contractor shall be responsible for the delay so caused to the works and the contractor shall not be entitled for any compensation on this behalf.

(b) **INSPECTION**

The contractor shall inform the Works-in-Charge in writing when any portion of the work is ready for inspection giving him sufficient notice to enable him to inspect the same without affecting the further progress of the work. The work shall not be considered to have been completed in accordance with the terms of contract until the Works-in-Charge shall have certified in writing to that effect. Approval of materials of workmanship of approval of part of the work during the progress of execution shall not bind the Works-in-Charge or in any way affect him even to reject the work which is alleged to be completed and suspend the issue of his certificate of completion until such alternations and modifications or reconstruction's have been effected at the cost of the contractor as shall enable him to certify that the work has been completed to his satisfactions. The contractor shall provide at his cost necessary ladders and such arrangements as to provide necessary facilities and assistance for proper inspection of all parts of the work at his own cost.

CLAUSE 13: SAMPLES AND TESTING OF MATERIALS

- All materials to be used on the work shall be got approved in advance from the Works-in-Charge and shall pass the test or analysis required by him which will be;
 - (a) As specified in the specification for the items.
 - (b) I.S.I. specifications for the items.

- (c) Such recognized specifications acceptable to Works-in-Charge as equivalent thereto or in absence of such authorized specification. Such requirement test and/or analysis as may be specified by the Works-in-Charge in order of precedence given above.
- (d) The contractor shall at his risk and cost make all arrangements/or shall provide for all such facilities as the Works-in-Charge may require for collecting, preparing required number of samples for tests or analysis at such time and to such places as may be directed by Works-in-Charge and bear all such charges. Such samples shall also be deposited with the Works-in-Charge.
- (e) The contractor shall, if and when required, submit at his cost the samples of the materials to be tested or analyzed and if so directed, shall not make use of incorporate in the works nay material to be represented by the samples until the required test or analysis have been made and the materials finally accepted by the Works-in-Charge.
- (f) The contractor shall not be eligible for any claim or compensation either arising out of any delay in the work or due to any corrective measure required to be taken on account of and as a result of testing of the materials.
- (g) In case of materials procured by the contractor, testing as required by the codes and specifications shall be arranged by him at his own cost. Testing shall be done in the presence of authorized representative of the Works-in-Charge at the nearest approved laboratory. In addition testing other than as required by specification is ordered the testing charges, shall be done the Department, if the last results are satisfactory and by the contractor if the same are not satisfactory.

CLAUSE 14: CLAIMS

- 14.1 No extra work shall be done without the written permission of Works-in-Charge. No claim of extra work shall be paid separately.
- 14.2 Claims for any extra work shall be registered **within 30 days of occurrence** of the event along with first and final bill. No separate bill shall ever be made for any additional or extra works done. NBFGR shall not be responsible if the contractor executes any extra work without written order.

CLAUSE 15: OTHER CONDITIONS

- 15.1 No work shall be done on Sunday and other holidays without the prior permission in writing of the Works-in-Charge.
- 15.2 Any contractor who does not accept these conditions shall not be allowed to tender for works.
- 15.3 The contractor shall not sublet or assign his contract to others.
- 15.4 Except where otherwise specified in the contract the decision of the Director, NBFGR, Lucknow, shall be final and binding on all parties of the contract upon all questions relating to the meaning of the specifications, designs, drawings, etc or as to any other question, claim, right, matter, or thing whatsoever, in any way arising out of, or relating to the contract, design, drawing, specifications, etc. or otherwise concerning the works, or the execution, or failure to execute the same, whether arising during the progress of the work, or after the completion, or abandonment thereof.
- 15.5 If the contractor stops the work in between due to his personal reasons, financial grounds, etc, for more than ten days after the commencement of works, the competent authority of NBFGR shall issue a notice to the contractor to this effect. The contractor has to start the works within seven days from the date of receipt of the notice, failing which the contract will be terminated, and the works will be executed by some other party at the risk and cost of the contractor. The decision of the Director, NBFGR, Lucknow will be final in this regard without prejudice to any other rights or remedies whatsoever.

- 15.6 The services envisaged under the present contract shall be rendered by the contractor under the continuous monitoring and supervision of one or more specifically designated officials of National Bureau of Fish Genetic Resources, Lucknow.
- 15.7 If any statutory regulations or bye-laws come into force after submission of the bids, which cause additional or reduced cost to the contractor in the execution of the contract, such additional or reduced cost (except which are covered in cost indices) shall be added or deducted from the contract price.
- 15.8 No other costs, charges, wages dues and compensation whatsoever to staff, employees or other persons engaged by the contractor shall be payable by National Bureau of Fish Genetic Resources, Lucknow or shall be claimed by the contractor from National Bureau of Fish Genetic Resources Lucknow for the services required to be rendered by the contractor over and above the said contractual payment.
- 15.9 No trade tax/ sales tax or any other form will be issued by the department. The contractors quoted rates shall include all taxes, Octroi, excise duty etc. as applicable and issued by State Govt./ Central Govt.
- 15.10 The staff employed by the contractor for rendering the services as contracted will be the employees of the contractor and will be on his pay rolls and they shall receive instructions from the contractor for their duties to be carried out by them and for effective discharge of the aforesaid duties National Bureau of Fish Genetic Resources. Lucknow will in no way be responsible for these labourers deployed by the contractor.

ICAR-National Bureau of Fish Genetic Resources

Canal Ring Road, Telibagh, P.O., Dilkusha Lucknow 226002

Annexure A(Part-2)

Technical compliance Statement

Sl. No.	Check List	Details
1.	Tenderer's covering letter on a printed letter head	
2.	Up to Date Income tax return (last 3 years).	
3.	Registration certificate (CPWD/PWD/MES/BSNL/ Any other Govt, department eligible to register civil contractors).	
4.	Experience certificate (As applicable) Three similar works each of value not less than 40% of estimated cost or two similar work each of value not less than 50% of estimated cost or one similar work of value not less than 80% of estimated cost in last 7 years ending last day of the month previous to the one in which the tenders are invited.	
5.	Office organization of company giving information regarding office set up, Telephone, E-mail etc.	
6.	Signature with seal on all the pages	
7.	Annexure A (1,2,3,4 &5)	

<u>Important: Please attach relevant copies of the certificates as above, duly signed on each page by the contractor.</u>

To be filled & signed by the Company and return with technical bid

Annexure-A (part 3)

То:	The Director National Bureau of Fish Genetic Resources, Canal Ring Road, Telibagh, Post Dilkusha, Lucknow -226 002	Dated:
Sub	: Open Tender Notice Dated:	
	Item No.	
	Certificate of Bid Participation and Acceptance	of terms of the tender reg.
Sir,		
	We agree to execute/supply the above work irm that the same will meet the description. Spils as required in the tender enquiry.	•
	We confirm that we agree to all other term uiry including the terms of delivery, period of d nexure)	
atta	We have furnished all the information, as required the relevant documents.	uired in the tender enquiry and
& cc	(In case a tenderer desires to put some additenditions etc. the same may be clearly indicated).	ional/modified stipulations, term
-	We conform that our offer will remain valid for safter the date of opening of tenders.	acceptance for
(Sig	nature, name and designation of the authorized e	executive of the tendering firm).
•	me and address of the tendering firm)	

ICAR Canal	Director, A-National Bureau of Fish Genetic Resources, Ring Road, P.O. Dilkusha, now – 226 002
Reg: D	Declaration of Relative Serving in NBFGR-reg.
Sir,	
	e hereby declare that I/We have/don't have any person related to me serving in any ity in ICAR-NBFGR, Lucknow. The details of my relatives are as follows:-
Sr.	Name of Relative
No	
1.	(To be filled only in case of any relative else the remark NA should be given)
1.	(10 be fined only in case of any ferative else the femalk IVA should be given)
	Signature
	Authorized Signatory/ Signatories
	(Seal of the Contracting firm)

Annexure-A (part 4)

Date:

BID SECURING DECLARATION FORM

Date:	Tender No
To The Director, ICAR Lucknow-226002.	i-NBFGR,
I/We, The undersign	ned, declare that:
Declaration. I/We accept that I period of one year tunder the bid condita. Have withdraws	at, according to your conditions, bids must be supported by a Bid Securing /We may be disqualified from bidding for any contract with you for a from the date of notification if I am /We are in a breach of any obligation tions, because I/We n/modified/amended, impairs or derogates from the tender, my/our Bid bid validity specified in the form of Bid; or
validity (i) fail or re	fied of the acceptance of our Bid by the purchaser during the period of bid euse to execute the contract, if required, or (ii) fail or refuse to furnish the ty, in accordance with the Instructions to Bidders.
successful Bidder,	ais Bid Securing Declaration shall cease to be valid if I am/we are not the upon the earlier of (i) the receipt of your notification of the name of the or (ii) thirty days after the expiration of the validity of my/our Bid.
Signed:	(insert signature of person whose name and capacity are shown)
in the capacity of	(insert legal capacity of person signing the Bid Securing Declaration).
Name:	(insert complete name of person signing the Bid Securing Declaration)
Duly authorized to	sign the bid for an on behalf of: (insert complete name of Bidder)
Dated on	day of (insert date of signing)
Corporate Seal (who	ere appropriate)
(Note: In case of a l	Joint Venture, the Rid Securing Declaration must be in the name of all

(Note: In case of a Joint Venture, the Bid Securing Declaration must be in the name of all partners to the Joint Venture that submits the bid)

Annexure-B

Name of the work- The repairing and renovation of canteen kitchen at ICAR-NBFGR, campus.

Estimated Cost: - Rs. 11.40 lakh. **Time of Completion:** 25 Days

Sl. No.	•			
1.	Dismantling of existing window & Brickwork, along with disposition of debris to an external site. All safety measures & precautions to be considered while dismantling ensuring a smooth passage from existing building to the new premises.	each	1	
2.	Earthwork in excavation for structures as per drawing and technical specifications clause 305.1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal upto a lead 50 m, dressing of sides and bottom and backfilling in trenches with excavated suitable material. as per SOR, Ch-4,Sl.No-1 In all kind of soil upto 1.5 m depth	cum	250	
3.	Providing and laying in cement concrete 1:2:4 (1 Cement: 2 coarse sand: 4 graded stone ballast 20 mm nominal size) including supply of all materials, Labour and T&P etc. required for proper completion of the work and curing complete also including cost of formwork in foundation floors., SOR, Ch-6, Sl no-305(b)	cum	8	
4.	First class bricks work in 1:4 in cement and coarse sand mortar in foundation and plinth including supply of all materials, labour and T&P etc. required for proper completion of the work. SOR, Ch-6, Sl no-305 (b)	cum	12	
5.	R.C.C work with cement approved course sand and 2 cm {3/4") gauge approved stone ballast in the proportion of 1:1.5:3 in lintels of doors and windows excluding supply of reinforcement and its bending but including its fixing and bending the same with 24 B.W.G. G.I. binding wire and including necessary centering and shuttering etc. and also including necessary centering and shuttering etc. and also including supply of all materials, labours and T & P etc. required for proper completion of the work. Binding wire cost being included in the item. SOR, Ch-5 Sl No-289	cum	1.24	
6.	Providing and laying cement concrete 1:4:8 (1 cement : 4 coarse sand : 8 graded stone ballast 40 mm, nominal size) including supply of all materials. Labour and T&P etc. required for proper completion of the work and curing complete also including cost of formwork in foundation and floors .as per	cum	4.68	

	SOR, Ch-5, Sl. No-281 (under foundation, Plinth Beams and floors, Apron etc.)				
7.	2.5 cm thick damp proof course of cement concrete consisting of one part cement 1.5 parts approved coarse sand and 3 parts approved 13 mm (1.5") graded stone grit and including water proofing materials as ordered by the Engineer-in-charge in the proportion as specified by the manufacturers. as per SOR, Ch-7, Sl. No-361	sqm	65.36		
8.	Centering and shuttering including strutting, propping etc. and removal of form for: Foundations, footings, bases of columns, Lintels, beams, plinth beams, girders, bressumers and cantilevers etc. for mass concrete	sqm	78.65		
9.	R.C.C work with cement approved coarse sand and 20 mm gauge approved stone grit im the proportion of 1:1.5:3 in lintels of doors and windows excluding supply of reinforcement and its fixing and binding the same with 24 BWG binding wire and including necessary centering and shuttering etc. and also including supply of all materials, labour and tools and plants etc, required for proper completion of the works. strength of the concrete shall not belles than M-20 As Per DSR 2019, Item No. 5.33.1				
	Slab	cum	4.13		
	Lintel	cum	0.00		
	Tie Beam	cum	1.36		
	Beam	cum	2.35		
	R.C.C. Colum	cum	2.78		
	R.C.C. footing	cum	3.75		
10.	Brick work in super-structure above plinth level up to parapet level including necessary cutting and molding of brick as required and also including honeycombed brick work in thickness of wall more than 12cms. (PWD303+309+310)	cum	22.50		
11.	12 mm cement plaster in single coat on rough side or half brick wall for interior plastering up to ceiling level including internal rounded angles not exceeding 80 mm in girth and finished even and smooth. (1a01 cement : 6 fine sand (PWD-586)	sqm	145		
12.	12 mm grit wash finish in single coat o fair side of single or half brick wall for exterior plastering up to parapet level including internal rounded angles chamfers, and /or rounded angles not exceeding 80m in girth and finished even and smooth no extra for mixing any additive. (1) 1 cement: 6 fine sand	sqm	150		

	1	+	ı	
	sqm	36		
(PWD-582+587)				
Providing and laying vitrified tiles flooring of approved make by E/l flooring	Sqm	45		
over 20 mm thick base of cement mortar 1:4 (1 cement : 4 coarse sand)laid				
and jointed with white cement (with pigment) slurry including rubbing and				
polishing of joints complete. (Size 60x60 cm)				
	sqm	65		
Providing & fixing of powder coated (anodized) Aluminum Doors &	sqm	15		
Windows (in Approved Shade), with float glass & required hardware as per				
the given drawing				
Wall painting (3 coat) with plastic emulsion paint of approved brand and	sqm	181		
manufacture on decorative wall surface to give an even shade including	_			
toughly brushing the surface clean of all dirt grease loose places and				
prepared smooth (PWD-18.58+2 times rates of 18.59)				
Providing and applying white cement based putty of average thickness 1	sqm	181		
mm, of approved brand and manufacturer, over the plastered wall surface to	_			
prepare the surface even and smooth complete. DSR-13.80				
Supplying and filling in plinth with sand under floors, including watering,	cum	25		
ramming, consolidating and dressing complete. As per DSR clause no 2.27				
Construction of embankment with approved material obtained from borrow	cum	20		
pits with all lifts and leads, transporting to site, spreading, meet requirement				
of table 300-2.				
Providing and laying water proofing treatment on roofs of slabs by applying	sqm	42		
cement slurry mixed with water proofing cement compound consisting of				
applying. (a) after surface preparation, first layer of slurry of cement @				
0.488 kg./sqm mixed with water proofing cement compound @ 0.253				
kg/sqm. (b) laying second layer of fiber glass cloth when the first layer is				
third layer of 1.5 mm thickness consisting of slurry of cement @ 1.289				
	Providing and laying vitrified tiles flooring of approved make by E/I flooring over 20 mm thick base of cement mortar 1:4 (1 cement : 4 coarse sand)laid and jointed with white cement (with pigment) slurry including rubbing and polishing of joints complete. (Size 60x60 cm) Providing and laying ceramic tiles dado of approved make over 15 mm thick base of cement mortar 1:4 (1 cement : 4coarse sand)laid and jointed with white cement (with pigment) slurry including rubbing and polishing of joints complete. (Size 30x60 cm) Providing & fixing of powder coated (anodized) Aluminum Doors & Windows (in Approved Shade), with float glass & required hardware as per the given drawing Wall painting (3 coat) with plastic emulsion paint of approved brand and manufacture on decorative wall surface to give an even shade including toughly brushing the surface clean of all dirt grease loose places and prepared smooth (PWD-18.58+2 times rates of 18.59) Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete. DSR-13.80 Supplying and filling in plinth with sand under floors, including watering, ramming, consolidating and dressing complete. As per DSR clause no 2.27 Construction of embankment with approved material obtained from borrow pits with all lifts and leads, transporting to site, spreading, meet requirement of table 300-2. Providing and laying water proofing treatment on roofs of slabs by applying cement slurry mixed with water proofing cement compound consisting of applying. (a) after surface preparation, first layer of slurry of cement @ 0.488 kg./sqm mixed with water proofing cement compound @ 0.253 kg/sqm. (b) laying second layer of fiber glass cloth when the first layer is still green. Over laps of joints of fiber cloth should not be less than 10 cm.(c)	plastering or in concrete work in the proportion recommended by the manufacturer.(PWD-586+599) 6mm thick plaster in 1:3 on ceiling and soffits of stairs upto floor two level. (PWD-582+587) Providing and laying vitrified tiles flooring of approved make by E/I flooring over 20 mm thick base of cement mortar 1:4 (1 cement : 4 coarse sand)laid and jointed with white cement (with pigment) slurry including rubbing and polishing of joints complete. (Size 60x60 cm) Providing and laying ceramic tiles dado of approved make over 15 mm thick base of cement mortar 1:4 (1 cement : 4 coarse sand)laid and jointed with white cement (with pigment) slurry including rubbing and polishing of joints complete. (Size 30x60 cm) Providing & fixing of powder coated (anodized) Aluminum Doors & Windows (in Approved Shade), with float glass & required hardware as per the given drawing Wall painting (3 coat) with plastic emulsion paint of approved brand and manufacture on decorative wall surface to give an even shade including toughly brushing the surface clean of all dirt grease loose places and prepared smooth (PWD-18.58+2 times rates of 18.59) Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete. DSR-13.80 Supplying and filling in plinth with sand under floors, including watering, ramming, consolidating and dressing complete. As per DSR clause no 2.27 Construction of embankment with approved material obtained from borrow pits with all lifts and leads, transporting to site, spreading, meet requirement of table 300-2. Providing and laying water proofing treatment on roofs of slabs by applying cement slurry mixed with water proofing cement compound consisting of applying. (a) after surface preparation, first layer of slurry of cement @ 0.253 kg/sqm. (b) laying second layer of fiber glass cloth when the first layer is still green. Over laps of joints of fiber cloth should not be less than 10 cm.(c)	plastering or in concrete work in the proportion recommended by the manufacturer.(PWD-586+599) 6mm thick plaster in 1:3 on ceiling and soffits of stairs upto floor two level. (PWD-582+587) Providing and laying vitrified tiles flooring of approved make by E/I flooring over 20 mm thick base of cement mortar 1:4 (1 cement : 4 coarse sand)laid and jointed with white cement (with pigment) slurry including rubbing and polishing of joints complete. (Size 60x60 cm) Providing and laying ceramic tiles dado of approved make over 15 mm thick base of cement mortar 1:4 (1 cement : 4 coarse sand)laid and jointed with white cement (with pigment) slurry including rubbing and polishing of joints complete. (Size 30x60 cm) Providing & fixing of powder coated (anodized) Aluminum Doors & windows (in Approved Shade), with float glass & required hardware as per the given drawing Wall painting (3 coat) with plastic emulsion paint of approved brand and manufacture on decorative wall surface to give an even shade including toughly brushing the surface clean of all dirt grease loose places and prepared smooth (PWD-18.58+2 times rates of 18.59) Providing and applying white cement based putty of average thickness 1 sqm 181 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete. DSR-13.80 Supplying and filling in plinth with sand under floors, including watering, ramming, consolidating and dressing complete. As per DSR clause no 2.27 Construction of embankment with approved material obtained from borrow pits with all lifts and leads, transporting to site, spreading, meet requirement of table 300-2. Providing and laying water proofing treatment on roofs of slabs by applying cement slurry mixed with water proofing cement compound consisting of applying. (a) after surface preparation, first layer of slurry of cement @ 0.488 kg./sqm mixed with water proofing cement compound @ 0.253 kg/sqm. (b) laying second layer of fiber glass cloth when the first layer is still green. Ov	plastering or in concrete work in the proportion recommended by the manufacturer. (PWD-586+599) form thick plaster in 1:3 on ceiling and soffits of stairs upto floor two level. (PWD-582+587) Providing and laying vitrified tiles flooring of approved make by E/I flooring over 20 mm thick base of cement mortar 1:4 (1 cement : 4 coarse sand)laid and jointed with white cement (with pigment) slurry including rubbing and polishing of joints complete. (Size 60x60 cm) Providing and laying ceramic tiles dado of approved make over 15 mm thick base of cement mortar 1:4 (1 cement : 4 coarse sand)laid and jointed with white cement (with pigment) slurry including rubbing and polishing of joints complete. (Size 30x60 cm) Providing & fixing of powder coated (anodized) Aluminum Doors & Windows (in Approved Shade), with float glass & required hardware as per the given drawing Wall painting (3 coat) with plastic emulsion paint of approved brand and manufacture on decorative wall surface to give an even shade including toughly brushing the surface clean of all dirt grease loose places and prepared smooth (PWD-18.58+2 times rates of 18.59) Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete. DSR-13.80 Supplying and filling in plinth with sand under floors, including watering, ramming, consolidating and dressing complete. As per DSR clause no 2.27 Construction of embankment with approved material obtained from borrow pits with all lifts and leads, transporting to site, spreading, meet requirement of table 300-2. Providing and laying water proofing treatment on roofs of slabs by applying cement slurry mixed with water proofing cement compound consisting of applying. (a) after surface preparation, first layer of slurry of cement @ 0.488 kg./sqm mixed with water proofing cement compound @ 0.253 kg/sqm. (b) laying second layer of fiber glass cloth when the first layer is still green. Over la

	kg./sqm mixed with water proofing cement compound @ 0.670 kg/sqm and coarse sand @ 1.289 kg/sqm. This will be allowed to air cure for 4 hours followed by water curing for 48 hours. The entire treatment will be taken			
	upto 30 cm on parapet wall and tucked into groove in parapet all around. (d) fourth and final layer of 20 mm thick plaster with 1:4 cement and coarse			
22.	sand mixed with water proofing compound finished with neat cement 5.22 Steel reinforcement for R.C.C. work including straightening, cutting,	tonne	1.08	
22.	bending, placing in position and binding all complete. 5.22.6 Thermo- Mechanically Treated bars of grade Fe-500D or more	tomic	1.00	
23.	Providing gola 75x75 mm in cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 stone aggregate 10 mm and down gauge), including finishing with cement mortar 1:3 91 cement : 3 fine sand) as per standard design: 12.21.1 in 75x75 mm deep chase	Running meter	20	
	Total			

Total Amount (in Words)